

---

# **flowchartwiki Documentation**

**Thomas Kock**

**Jun 24, 2020**




<b>1</b>	<b>FlowchartWiki - Wiki-based Process Modelling and Documentation</b>	<b>3</b>
1.1	Brief Description . . . . .	5
1.2	FlowchartWiki repository on Bitbucket. . . . .	5
1.3	Update June 2020 . . . . .	5
1.4	New in 1.2.5 . . . . .	5
1.5	New in 1.2.4 . . . . .	6
<b>2</b>	<b>DecisionMaking</b>	<b>7</b>
2.1	Free and Open Source . . . . .	9
2.2	5 Minute Introduction to FlowchartWiki - Business . . . . .	9
2.3	5 Minute Introduction to FlowchartWiki - Technical . . . . .	10
2.4	How is it done, exactly? . . . . .	10
2.5	Features . . . . .	11
2.6	Optional Features . . . . .	11
2.7	Limitations . . . . .	11
2.8	Continue with Installation . . . . .	11
<b>3</b>	<b>Download</b>	<b>13</b>
3.1	Current Version FlowchartWiki 1.2.5 . . . . .	15
3.2	Installation prerequisites . . . . .	15
3.3	FlowchartWiki 1.2.5 . . . . .	15
3.4	FlowchartWiki 1.2.4 . . . . .	15
3.5	FlowchartWiki 1.2.3 . . . . .	16
3.6	FlowchartWiki 1.2.2 . . . . .	16
3.7	FlowchartWiki 1.2.1 . . . . .	16
3.8	FlowchartWiki 1.2.0 . . . . .	16
3.9	FlowchartWiki 1.2.0-beta2 . . . . .	16
3.10	FlowchartWiki 1.2.0-beta1 . . . . .	17
3.11	FlowchartWiki 1.1.1 . . . . .	17
3.12	FlowchartWiki 1.1.0 . . . . .	17
3.13	FlowchartWiki 1.1.0-RC6 . . . . .	18
3.14	FlowchartWiki 1.1.0-RC5 . . . . .	18
3.15	FlowchartWiki 1.1.0-RC1 . . . . .	18
3.16	PdfBook 1.1.1 . . . . .	18
3.17	PdfBook 1.1.0 . . . . .	19
3.18	PdfBook 1.1.0-RC3 . . . . .	19
3.19	PdfBook 1.1.0-RC1 . . . . .	19

3.20	FlowchartWiki 1.0.1	19
3.21	FlowchartWiki 1.0.0-RC3	19
3.22	PdfBook 1.0.0-RC3	19
3.23	FlowchartWiki 1.0.0-RC2	19
3.24	FlowchartWiki 1.0.0-RC1	20
<b>4</b>	<b>Installation</b>	<b>21</b>
4.1	System requirements	23
4.2	Overview of tested and supported platforms	23
4.3	Preparation (Windows)	23
4.4	Preparation (Unix/Linux)	24
4.5	Installation steps	24
4.6	Optional installation	25
4.7	Additional settings	26
4.8	Parallel usage with Semantic MediaWiki	26
4.9	Testing your installation	27
<b>5</b>	<b>Customizing</b>	<b>29</b>
5.1	Customizing your Installation	31
5.2	Import default customizing	31
5.3	Customizing:Configure_Chart Page(s)	31
5.4	Sample Customizing: Page	33
5.5	Examples	35
<b>6</b>	<b>ImportExistingDocuments</b>	<b>37</b>
6.1	Easy conversion of .doc Files with OpenOffice.org	39
6.2	Procedure	39
<b>7</b>	<b>EnterProcesses</b>	<b>41</b>
7.1	How to create a process	43
7.2	How to create a process step	43
7.3	Detail documentation	44
7.4	Tips & Tricks	44
<b>8</b>	<b>UserTraining</b>	<b>45</b>
<b>9</b>	<b>Maintenance</b>	<b>49</b>
9.1	Re-Initializing the Database	51
9.2	Temporary Files	51
9.3	Moving to new empty server	52
<b>10</b>	<b>Check FlowChartWiki extension</b>	<b>53</b>
<b>11</b>	<b>Customizing: Configure Chart - Documentation</b>	<b>55</b>
11.1	Configure the ModelType / Graphics	55
<b>12</b>	<b>Customizing - Configure Chart</b>	<b>59</b>
12.1	Configure the ModelType / Graphics	59
<b>13</b>	<b>Documentation HowTo</b>	<b>61</b>
13.1	Building and maintaining the documentation	61
13.2	Extraction of original source documents	62
<b>14</b>	<b>Contact</b>	<b>63</b>

<b>15 License</b>	<b>65</b>
15.1 GPL License Text . . . . .	65
15.2 LGPL License Text . . . . .	70





Please note: As of June 2020 FlowchartWiki will no longer be maintained by its author. If you want to take over maintenance, feel free to contact the author.







---

FlowchartWiki - Wiki-based Process Modelling and Documentation

---



Flowchartwiki is an extension to MediaWiki for creating flowcharts from the links between wikipages to support process modelling and process documentation in MediaWiki. This simplifies the self-organizing of teams and processes.

**Simple Navigation: click on the auto-generated graphs.** The diagrams on each page are automatically created from pages in the wiki. Just click on a Process step in the diagram to go directly to that page.

Use it for

- Process Diagrams
- Process Modelling
- Process Documentation
- training plans
- ... What could you think of?

## 1.1 Brief Description

FlowchartWiki allows teams and processes to self-organize, using a Wiki to create process models and process documentation.

Each step within a process is a separate wikipage. And based on the links between these wikipages and a type assigned to a wikipage, a flowchart diagram is created automatically.

The diagrams are always up-to-date, which reduces manual maintenance.

Unlike popular office software, all users of the wiki can simultaneously access the process model and keep accurate for their needs.

FlowchartWiki is an extension to the well-known Mediawiki Software and both are **free and open source**. Because of this, the powerful features of Mediawiki, such as the audit trail and notifications, are brought to bear on easy-to-navigate process documentation.

## 1.2 FlowchartWiki repository on Bitbucket.

- The FlowchartWiki Git repository is available on BitBucket.org: <https://bitbucket.org/tkock/flowchartwiki>
- To run FlowchartWiki in a Docker-Container please see: <https://bitbucket.org/tkock/flowchartwiki-docker>

## 1.3 Update June 2020

- Please note: As of June 2020 FlowchartWiki will no longer be maintained by its author. If you want to take over maintenance, feel free to contact the author.

## 1.4 New in 1.2.5

- Fix deprecations in MediaWiki 1.27 and 1.29.1

## 1.5 New in 1.2.4

- Fix sloppy coding that PHP 7.x rejects or complains about now.




## CHAPTER 2

---

### DecisionMaking

---



The currently selected Page is “highlighted” with a black background and white font

## 2.1 Free and Open Source

- Both, MediaWiki and the FlowchartWiki Extension, are free and Open Source and *License* under the GPL General Public License
- Download for free, install it and use it for free
- Modify the source if you wish

## 2.2 5 Minute Introduction to FlowchartWiki - Business

- Use a Wiki to simplify the self-organizing of Teams and Business Processes
- Simple and easy to use - very low training requirements
- make the relevant information available to the person performing the task when and where it is needed - instead of hiding it in rarely updated binders somewhere hidden on a shelf
- Team-Members can immediately follow up and contribute which results in
- ongoing and up-to-date documentation of business processes and procedures
- Integrate the process documentation into the daily work - by adding checklists and tips & tricks to the documentation
- Process improvement (Kaizen) is simplified: current documentation is available and incremental changes are easily documented and implemented
- Proven MediaWiki Software - used by Wikipedia with thousands of pages and millions of users
- just access it with your browser from any PC - no Software to install or distribute
- simultaneous access - no files to share or distribute, no versions to monitor
- export complete process documentation as a .pdf Document for archiving or other purposes
- access to the documentation may be shared with “extended Valuestream Partners” - Customers or Suppliers to streamline the extended valuestream
- easily convert your existing .doc based documentation and import it into the wiki

### **From a consultants perspective:**

- enable the client employees to “think process”
- the work of the consultant in defining and documenting processes is immediately visible and transparent to the client
- due to low training requirements, client employees can be easily integrated into the project and can contribute early on by adding information or giving feedback
- easy and early integration of client employees results in client buy-in and quick wins

## 2.3 5 Minute Introduction to FlowchartWiki - Technical

- Based on [Mediawiki](#)
- Built on the popular “LAMP” Stack: Linux/Windows/Unix, Apache, mySQL/PostgreSQL, PHP
- FlowchartWiki is implemented as an Extension to MediaWiki and adds just one table to the MediaWiki database
- uses [GraphViz](#) Graph creation Software to create the graphs
- uses `htmldoc` and an extended `pdfbook` extension to create .pdf documentation of processes
- implements a set of custom tags to create/display the graphs (see “How is it done, exactly?” below)
- supports hierarchical categories - Processes of Processes (of Processes of. . .)
- MediaWiki User-Management can be integrated with LDAP or other tools

## 2.4 How is it done, exactly?

After installing the Extension and adding a few tags to Category and Process pages, you are ready to run. This is a brief explanation on how it is done. Please see the full documentation for all the details.)

A **category page** represents a Process. Three Tags are added to a category page:

```
<CategoryBrowser />
[[ModelType::Draw]]
[[Type::Process]]
```

- **CategoryBrowser:** The CategoryBrowser tag displays the process diagram on the current page.
- **ModelType:** The “ModelType” tag selects a Process Type and defines the shapes and colors used for the diagrams. used. (This could be EPK, FlowChart, etc. and is fully customizable).
- **Type::Process** tags this page as being a Process, when added to another category as a sub-process.

A **Wiki Page** represents a step within a process. Only a few tags are added to a single wiki page:

```
[[NextStep::Customizing]]
<Dependencies />
[[Type::Rect_Green]]
[[Level::0995]]
[[Category:GettingStarted]]
```

- **NextStep::Customizing** tags a Link to a “next process step”. NextStep could also be “performedBy”, “uses”, etc. and is freely assignable. This describes the type of link to another wikipedia. There is no limit in linking to other pages.
- **Dependencies:** This tag creates a table inside the current wiki page that shows “who links here” and “where do I link to” including the types of links. Using this tag is optional.
- **Type::Rect\_Green:** Describes the type of this page and determines via the customizing what type of shape and color is used for displaying this process step in the diagram. Here we used a Modeltype::Draw tag in the process definition that is customized with having types like Rect\_Green (green rectangle), Rect\_Red, Rect\_Blue. The EPK customizing includes types like Event, Decision, Function, Datasource, Person, Department, Product, each with its own shape and color settings.
- **Level::0995:** The automatic flowcharting needs some hints on where to place the process step into the diagram. We are using a line number system. All Process steps with the same line number will show up on the same



line in the diagram. Higher line numbers will be displayed on a lower level. That's the only option you have to modify the diagram - sorry, no more hours spent with beefing up your slideshows. . .

- **Category:GettingStarted:** This links the process step to the process, by linking it to the category page. This tag is standard MediaWiki.

That's it.

## 2.5 Features

- Creates Diagrams from the links between WikiPages.
- All Pages in one category that are tagged will be shown in the diagram
- Hierarchical Processes: One Process can contain other processes, so you can drill down to lower levels.
- Each WikiPage shows the whole process and the current step is marked.
- configurable display of the process:
  - whole process with marked step
  - whole process plus extract of process steps “around” the currently selected one
- customizable display: Instead of “drawing” diagrams, a Type is assigned to the process step which determines the shape and color used for drawing. This allows a standardisation of the diagrams and displays. (Think of EPK/Aris Diagrams or other types of diagrams.)

## 2.6 Optional Features

- Export the whole process documentation to a .pdf by using the PDFbook Extension. (Including the graphs) (We currently provide an extended version of the original).

## 2.7 Limitations


- Charting / GraphViz
  - FlowchartWiki is using GraphViz to automatically create the charts.
  - GraphViz offers very limited control of chart appearance or layout. (We try to give GraphViz some hints by using “line-numbers”)
  - Swimlane charts or manual placement of elements is not supported.
- Cacheing / Performance
  - FlowchartWiki currently does not support cacheing of pages. It will test on each pageload, if the diagram needs to be recreated.

## 2.8 Continue with Installation

- Test-Drive FlowchartWiki on your own system or your internal network: you can freely download and install the software.
- Download now: [Download](#)







## 3.1 Current Version FlowchartWiki 1.2.5

(If you are running an older version, please see the upgrade info in the release-notes below.)

There are two versions of the files available:

- a .zip file for Windows installations
- a .tar.gz file for Linux/Unix installations

The contents of both files are the same, just the packaging is different.

- FlowchartWiki
  - Download from BitBucket Releases as .zip or .gz: [BitBucket](#)
- PDFbook (our version of the extension is currently broken.)
- Git Repository

```
git clone https://bitbucket.org/tkock/flowchartwiki.git
git clone https://bitbucket.org/tkock/pdfbook.git
```

Current versions are tagged, you can do `git checkout flowchartwiki-1.2.5`

## 3.2 Installation prerequisites

- FlowchartWiki and MediaWiki are based on the “LAMP” Stack: Linux/Unix/Windows, Apache, MySQL/Postgres, PHP. This platform should be available on your system.
- FlowchartWiki is an Extension for MediaWiki. Please install MediaWiki first, then add the FlowchartWiki Extension. (See also *Installation*)
- The standard installation of FlowchartWiki will NOT work together with Semantic MediaWiki (SMW) installed in the same wiki. (See *Parallel usage with Semantic MediaWiki* for a workaround.)

### 3.2.1 Unpacking and installing

Please see *Installation*

### 3.2.2 Release and upgrade Notes - Current Release FlowchartWiki

## 3.3 FlowchartWiki 1.2.5

- Fixes for deprecations in MW 1.27 and 1.29.1.

## 3.4 FlowchartWiki 1.2.4

- fix sloppy coding that PHP 7.x rejects or complains about now (Thanks to Adam C. from the US.)

## 3.5 FlowchartWiki 1.2.3

- fixed MediaWiki 1.27 LTS compatibility issues: ‘wfMsg(...)’ to ‘wfMessage(...)->text()’

## 3.6 FlowchartWiki 1.2.2

- fixed MediaWiki 1.24 compatibility issues.

Upgrade from 1.2.1:

- Replace the extension directory with the new version and (optionally) delete the images in `./images/flowchartwiki`

## 3.7 FlowchartWiki 1.2.1

- Changes for deprecated functions in MediaWiki 1.21.x
  - ExtensionMessages was removed.
  - counter.php was removed -> replaced by direct copy of old function.
- dot not creating image files with empty label=, *needs to be label=* ‘ *instead.*
- added call to PHP clearstatcache()

Upgrade from 1.2.0:

- Replace the extension directory with the new version and (optionally) delete the images in `./images/flowchartwiki`

## 3.8 FlowchartWiki 1.2.0

- Bugfix by Hiroyuki S.: long pagenames in fchw\_LoadPages() in lib.php
- catching some php-Notice “undefined index” errors in lib.php with isset()

Upgrade from 1.1.x or 1.2.0-beta-x:

- Replace the extension directory with the new version and delete the images in `./images/flowchartwiki`
- optional: Use the new “Category” as Graph Header feature (see *Customizing*).

## 3.9 FlowchartWiki 1.2.0-beta2

- Bugfix by Gerrit I. - double entries in Database when tags are twice in a wikipage
- PHP 5.3 compatibility - tested together with Peter v.L.
- Changed field length in schema\_mysql.sql for from\_title and relation from 255 to 120 due to problems with UTF8 databases and indices being longer than 1024.
- added \$wgExtensionCredits

## 3.10 FlowchartWiki 1.2.0-beta1

- major rebuild of .dot file creation, reduced Database-accesses and moved data-structure into internal object hierarchy (see fchwobjects.php for the objects)
- This was a prerequisite for adding other features to the graph:
- Include a Link to the Category-Page on top of the graph, if Customizing has a Page-Type “Category”.
- Position all Pages that have no Level::xxxx assigned at the bottom of the graph, sorted in alphabetical order.
- These pages CAN have a Type::xxxx assigned to use a shape and Color from the customizing. Links to these pages may work, but will probably screw up the graph :-)
- add Customizing-Function fchw[‘zLevels’] for the number or items per row for the “Unassigned” Pages.
- This can be set in LocalSettings.php. If not set, it defaults to 4 and is set in flowchartwiki.php.
- Calculate the Height of the graph based on the approximate number of rows. (This may not work properly for CategoryBrowser2 which displays two images.)

## 3.11 FlowchartWiki 1.1.1

- fixed bug with ‘ (Apostroph) and ” ” (Blank) in Category Names. (Many thanks to Martin from Tübingen, Germany to report this.)

Upgrading from 1.1.0 to 1.1.1

- Replace the existing /extensions/flowchartwiki installation with the new files. (You may want to backup your existing files first.)
- delete the contents of the ./images/flowchartwiki directory and run `php ./extensions/flowchartwiki/maintenance/fchw_RefreshPages.php`

Upgrading from previous versions to FlowchartWiki 1.1.1:

- replace the existing /extensions/flowchartwiki installation with the new files. (You may want to backup your existing files first.)
- change the name of the ./images/fchw directory to ./images/flowchartwiki. Please ensure you keep the proper read/write/create/delete authorizations.
- test your installation with the Special Pages:Check\_Fchw Page.
- change the customizing pages for the process models to the new Version 1.1 format shown in *Customizing*
- delete the contents of the ./images/flowchartwiki directory and run `php ./extensions/flowchartwiki/maintenance/fchw_RefreshPages.php`

## 3.12 FlowchartWiki 1.1.0

- updated Special Pages:Check\_Fchw
- changed calls to GraphViz to platform-dependant calls for Unix/Linux, Windows-Apache and Windows-IIS platforms
- fixed calls to GraphViz when there are ” “(<space>) characters in the path to the ./images/flowchartwiki directory.

- added \$wgDbPrefix to hash for filenames in ./images/flowchartwiki to avoid clashes in multi-instance installations
- added “concentrate=true” to .dot files to combine arrows to/from boxes into one arrow.
- experimental support of Windows-IIS platform.

### 3.13 FlowchartWiki 1.1.0-RC6

- updated cacheing of images, added “?Timestamp=<timestamp>” to image-tag of graph images in order to remove the requirement to press “shift-reload” in the browser to see the updated image.
- Database table access now uses Mediawiki DB-Prefix. (Thanks to J.R.M.)
- Updated special page CheckFchw to show a graph created by graphviz for testing graphviz.

### 3.14 FlowchartWiki 1.1.0-RC5

- Fixed call to GraphViz.exe on Windows installations (fixed problems on W2K and W2K3 servers), Unix installs are not affected
- Added optional `PageName : :DifferentNameForPage Tag` to override the labeling of the box in the Graph (Defaults to Name of WikiPage)
- BugFix: Quote in PageName
- BugFix: “\_” are replaced with “ ” in PageName

### 3.15 FlowchartWiki 1.1.0-RC1

- Added special page **Special:CheckFchw** to check correct installation *Check FlowChartWiki extension*
- Fixed bug: Redirected pages causes timeout in some cases
- New customization format allows to set color, label, shape on arrows in graph

#### 3.15.1 Release and upgrade Notes - Current Release PdfBook

PdfBook is currently broken. It will not work with current MediaWiki releases due to API-changes in MediaWiki.

### 3.16 PdfBook 1.1.1

- fixed bug with ‘ (Apostroph) and ” ” (Blank) in Category names.

Upgrading from previous versions to pdfbook-1.1.1:

- Replace the existing files with the files of the new version. (You may want to backup your existing installation first.)



### 3.17 PdfBook 1.1.0

- updated Special Pages:Check\_Fchw
- changed calls to htmdoc to platform-dependant calls for Unix/Linux, Windows-Apache and Windows-IIS platforms
- changed unique filename to pdf-book-<uniqueID>
- deletes temporary files after delivery to user, so `./images/pdfbook` directory should be mostly empty.
- fixed calls to htmdoc when there are ” “(<space>) characters in the path to the `./images/flowchartwiki` directory.

### 3.18 PdfBook 1.1.0-RC3

- minor update to special page Special:CheckPdfBook

### 3.19 PdfBook 1.1.0-RC1

- Added special page Special:CheckPdfBook to check correct installation
- PdfBook now should also work when the FlowchartWiki extension is not installed or used in a category.

#### 3.19.1 Release 1.0.x

### 3.20 FlowchartWiki 1.0.1

- Fixed bug: Broken graph if name of pages contains ” ” space

### 3.21 FlowchartWiki 1.0.0-RC3

- Added simple cache for graphs
- Replacement for Hash function (if not exists - on some Solaris hosts)

### 3.22 PdfBook 1.0.0-RC3

- Sorted book by Level
- Added support for codepage ISO-8859-2


### 3.23 FlowchartWiki 1.0.0-RC2

- Fixed for Windows hosts (flowchartwiki and pdfbook too)
- Fixed duplicate entries in dependencies

## 3.24 FlowchartWiki 1.0.0-RC1

- First Release of FlowchartWiki.





## 4.1 System requirements

- Mediawiki system requirements as listed here [\[\[MediaWiki/Installation\]\]](#) with PostgreSQL or mySQL database.
- Parallel usage of Semantik MediaWiki with FlowchartWiki is not supported. (Contributions welcome.)

## 4.2 Overview of tested and supported platforms

On these platforms we have installed and tested MediaWiki together with FlowchartWiki. If you use it on other platforms, please let us know so we can update this table.

OS / Database	Windows-Apache	Windows-IIS	Linux
Postgresql	untested	untested	tested OK
mySQL	tested OK	experimental, see notes	tested OK

## 4.3 Preparation (Windows)

- Install Apache, PHP and mySQL or Postgresql Database.
  - WAMP (Windows - Apache - mySQL) is pretty easy to set up.
  - You could use one of the prepacked installers like [WinLamp](#)
  - Please see the documentation of these installers for more details

Possible issues on Windows:

- Depending on your environment, GraphViz and HtmlDoc may need additional .dll's: vc\_redist\_x86.exe, msvcr71.dll, libssl (libeay32.dll, ssleay32.dll)
  - GraphViz 2.28 requires the [VC++ 2008](#) redistributables, where some older versions required the 2005 release. (Thanks to Tommy from Hong Kong)
- Calls from PHP to external programs may be restricted by the OS (This is primarily an issue with IIS, see below.)
- On Windows (XP?) with Apache there seem to be problems in calling the htmldoc and graphviz executables when the the DocumentRoot in httpd.conf contains " " (Blanks/Spaces). Please move the DocumentRoot to a directory path without spaces - like "c:\htdocs" and update DocumentRoot accordingly - to "c:/htdocs". (until 1.1.0-RC6, fixed in 1.1.0)
- From PHP 5.4.5 COM is no longer built into php core, you have to add COM support in php.ini. See [\[php installation\]](#) (Thanks to Pavel from Moscow, Russia.)
- Please let us know about your success / problems on Windows platforms.

Windows - IIS: (experimental, you have been warned!)

- Be prepared to do some serious tweaking with rights for IUSR and IIS\_WPG. This MAY include rights to cmd.exe, the c:/program files/graphviz and c:/program files/htmldoc directories, the ./images/flowchartwiki and ./images/pdfbook directories - and possibly more.
- Granting enough rights, we were successfully running flowchartwiki/graphviz on W2K3 with IIS.
- We quit digging deeper into making htmldoc work due to these hints: ""“Enable auditing of ‘object failures’ in the local security policy, see if anything is in Security event log. Another couple of tools to use are Regmon and Filemon from Sysinternals. Auditing, Regmon, Filemon can narrow down if its a obvious permissions issue. If not, it’s something in your local security policy preventing it.”” (Source: [\[iis forums\]](#))

- also tweaking with the calls to the executables in `checkfchw_body.php`, `checkpdfbook_body.php` first and then applying those changes to `graphviz.php` and `pdfbook.php` may be necessary.
- IIS seems to handle URLs differently. Please check [Manual:Short\\_URL](#) and [URL\\_rewrite\\_in\\_IIS](#) and adjust your `LocalSettings.php` accordingly. What worked for us:

```
$wgScript          = "/mediawiki/index.php";
$wgArticlePath     = "$wgScript/$1";
$wgUsePathInfo     = true;
```

- The `Special:CheckFchw` page seems to have timing issues. It is testing for the existence of the generated `.png` file. The file may be there, but windows seems to be slow to recognize this. Please crosscheck the `./images/flowchartwiki` directory for a `FchwTest.png` file. This problem may also re-appear in `graphviz.php` when creating images during normal usage. The program already waits, but maybe windows is even slower. . .
- **Contributions with detailed instructions and fixes are very much appreciated.**

## 4.4 Preparation (Unix/Linux)

- For a Docker based installation please see <https://bitbucket.org/tkock/flowchartwiki-docker>
- usually Apache, PHP and mySQL or Postgresql are installed in the base installation. If not, please add these packages now.
- for running php-scripts outside of apache, you may need to add a package named `php5-cli`.

Possible Issues on Linux:

- Graphviz: (Was reported for CentOS 64bit): `apache-user` needs access to `"/usr/lib64/graphviz/config6"` which can be set by granting `"chmod 755"` on that file. The Error Message in Apache-Log was `"Format: "png" not recognized. Use one of:"` (Thanks to Gero from Boeblingen, Germany)
- Graphviz: (Was reported for RHEL5): requires GD-support in Graphviz which is included in the package `"graphviz-gd-2.12-8.el5"` in addition to installing `"graphviz-2.12-8.el5"`. (Thanks to Mangesh)
  - Test with `'/usr/bin/dot -v'` and check if the `'render'` line contains `'png'`. Press `Ctrl-c` to exit `dot`.
- Ubuntu: create a `/var/www/bin` directory and copy `dot` and `htmldoc` into it. Then in `/etc/php5/apache/php.ini` set `"save_mode_exec_dir=/var/www/bin"`. In `LocalSettings.php` for `$fchw['GraphvizDot']`, just use `"dot"` and `"htmldoc"` respectively, do not give any path.

## 4.5 Installation steps

MediaWiki Installation

- download [\[\[MediaWiki - Download\]\]](#)
- install [\[\[MediaWiki - Installation\]\]](#) Mediawiki as described in Mediawiki documentation
- Test your Mediawiki installation

Tip:

- If you want to run multiple (separate) wikis, use parallel installations of mediawiki. These installations can share the same database with different `$dbprefix` settings. FlowchartWiki is not compatible with running multiple (separate) wikis in a single wiki-installation like `"Method One"` documented on [SteveRumberg.com](#), which switches `$dbprefix` based on a `url-parameter`.

GraphViz and Flowchartwiki Extension Installation

- Download and install Graphviz to your system [\[\[GraphViz\]\]](#) (The MediaWiki GraphViz Extension is not required.)
- *Download* and extract Flowchartwiki package to mediawiki/extensions
- rename the directory from flowchartwiki-x.y.z to flowchartwiki

#### Database configuration

- if you use a Database Prefix (\$wgDbPrefix), please adjust the database scripts accordingly. (see notes in the .sql scripts).
- Postgres
  - import ./extensions/flowchartwiki/maintenance/schema\_pg.sql to your Postgres database

```
psql db wikiname < schema_pg.sql
```

- mySQL
  - import ./extensions/flowchartwiki/maintenance/schema\_mysql.sql to your mySQL Database

```
mysql --user=<dbuser> --password=<password> <dbName> < ./extensions/flowchartwiki/
↪maintenance/schema_mysql.sql
```

#### Directory setup and Wiki Configuration

- create directory *flowchartwiki* in *images* subdirectory a set permissions on *flowchartwiki* directory, (Please note: The name of this directory was changed from *fchw* to *flowchartwiki* in version 1.1.0.)

```
chmod 777 ./images/flowchartwiki
```

- add these lines to mediawiki/LocalSettings.php
  - note: Set <path-to-graphviz-Dot> to the path on your system:
    - \* Unix/Linux: could be “/usr/bin/dot”
    - \* Windows: could be “C:\\Program Files\\Graphviz 2.20\\bin\\dot.exe” (use double \\)

```
# Disable cache - otherwise graphs are not updated properly
$wgCachePages      = false;
$wgCacheEpoch     = max( $wgCacheEpoch, gmdate( 'YmHis' ) );
# Include libraries
require_once("$IP/extensions/flowchartwiki/flowchartwiki.php");
$fchw['GraphvizDot'] = "<path-to-graphviz-Dot>";
```

## 4.6 Optional installation

- PDF Book - Export your Process Documentation as a .pdf Document
- PDF Book for FlowchartWiki is currently broken and not maintained.
- Download HTMLDoc: Open Source: [\[htmldoc - OSS\]](#) Commercial: [\[htmldoc - commercial\]](#)
  - Unix/Linux: Prebuild packages should be available for your distribution.
  - Windows: Please use Google to locate a compiled open-source package or purchase a commercial license from the vendor.

- Install HTMLDoc
- Download the FlowchartWiki PdfBook Extension (See [Download](#)) (This Extension has been modified to work with FlowchartWiki).
- extract PdfBook mediawiki extension to `./extensions` directory
- rename directory `pdfbook-x.y.z` to `pdfbook`
- create directory `pdfbook` in `images` subdirectory and set permissions on `pdfbook` directory,

```
chmod 777 ./images/pdfbook
```

- add these lines to `mediawiki/LocalSettings.php` and set the correct path to the `htmldoc` executable

```
require_once("$IP/extensions/pdfbook/pdfbook.php");
$PdfBookShowTab = true;
$PdfBookHtmlDoc = "c:\\program files\\htmldoc\\htmldoc.exe";
```

## 4.7 Additional settings

If you want to allow to view pages only for registered users, add these lines to `mediawiki/LocalSettings.php`

```
# Allow only authorized persons
$wgGroupPermissions['*']['read'] = false;
$wgGroupPermissions['*']['createaccount'] = false;
$wgShowExceptionDetails = true;
```

## 4.8 Parallel usage with Semantic MediaWiki

The standard installation of FlowchartWiki will NOT work together with Semantic MediaWiki, as the style used for tagging the links is the same as in SMW.

Daniel L. submitted a workaround that uses a different tagging. He is using “-” for FlowchartWiki instead of “:” (which is used by SMW). If you want to use FlowchartWiki in parallel with SMW, you may want to give his modification a try.

`Linktypes.php`: approx. line 58:

```
< if (strpos($LinkText, "--") > 0) {
< $Relation = substr($LinkText, 1, strpos($LinkText, "--")-1);
< $LinkTmp = substr($LinkText, strpos($LinkText, "--")+2, -1);
< $output .= "[${LinkTmp}|$Relation--$LinkTmp]";
----
> if (strpos($LinkText, "::") > 0) {
> $Relation = substr($LinkText, 1, strpos($LinkText, "::")-1);
> $LinkTmp = substr($LinkText, strpos($LinkText, "::")+2, -1);
> $output .= "[${LinkTmp}|$Relation::$LinkTmp]";
```

`Linktypes.php` approx. line 164:

```
< if (strpos($Link, "--") > 0) {
< $Relation = substr($Link, 0, strpos($Link, "--));
< $To_title = substr($Link, strpos($Link, "--")+2);
```

(continues on next page)



(continued from previous page)

```

---
> if (strpos($Link, "::") > 0) {
> $Relation = substr($Link, 0, strpos($Link, "::"));
> $To_title = substr($Link, strpos($Link, "::")+2);

```

## 4.9 Testing your installation


### Special Pages

Two “special pages” will help you to test and troubleshoot your installation. (New in Version 1.1.0)

- *Check FlowChartWiki extension* (Special:CheckFchw)
- Check PDFBOOK extension (Special:CheckPdfBook)

These pages check, if everything is installed correctly, including executables, paths, permissions and will try to create a graph or .pdf document.

### Set up a “Test Process”



(After entering the process, this is the diagram you should see on the WikiPage Test1.)

- **Step1:** Create category `Category:Test` with content (Cut & Paste)

```

<CategoryBrowser />
[[ModelType::Draw]]

```

- **Step 2:** Create Page `Test1` with content (Cut & Paste)

```

<CategoryBrowser />
[[LinksTo::Test2]]
<Dependencies />
[[Type::Rect_Red]]
[[Level::1000]]
[[Category:Test]]

```

- **Step 3:** Create Page `Test2` with content (Cut & Paste)

```

<CategoryBrowser />
<Dependencies />
[[Type::Rect_Blue]]

```

(continues on next page)


(continued from previous page)

```
[[Level::1010]]  
[[Category:Test]]
```

- **Step 4:** Tests:

- Open the Category Page `Category:Test` You should see a diagram with two process steps (Test1 and Test2) which is clickable and will link to the Pages Test1 and Test2. The Diagrams will not be colored or using shapes because the customizing for the colors and shapes is not yet available, so default values are used. (If you want it pretty, see the *Customizing* documentation).
- Click on the diagram on the Pages `Category:Test` and Test1, Test2 to test the navigation.
- you will see some “red” text with the diagrams. This is due to rendering the links and expected. (see also on the bottom of this page)
- you may want to have a look into `./images/flowchartwiki` where the files for the images are cached.
- Testing PdfBook export: Open the category page and click the “Export to PDF” tab. You should get an automatic download of a .pdf File. The .pdf Document contains all pages from the category, graphs included.





## 5.1 Customizing your Installation

Besides standard options to modify and customize your MediaWiki installation, FlowchartWiki has some additional customizing options.

Customizing is used to define the shapes and colors used in the diagrams created by FlowchartWiki. You can create customizing settings for different types of processes (EPK/Aris, “plain vanilla”, ...) and use them in your process diagrams. Each Process needs to have one process-type assigned.

The standard distribution of FlowchartWiki includes a set of standard customizing pages that you can import (described below) and modify/adapt to your needs. The detailed documentation on how to set up the customizing is given below as well.

## 5.2 Import default customizing

### 5.2.1 Installation on a remote system

- Importing the customizing requires an upload of prepared wikipages from your local system to the remote system.
- The pages which will be uploaded are part of the flowchartwiki distribution and are located in the flowchartwiki/maintenance directory.
- Download flowchartwiki to your local system or download the flowchartwiki/maintenance directory from your server to your local system.

### 5.2.2 Installation on a local system

- locate the flowchartwiki/maintenance directory in your filesystem (it could be in `./apache2/htdocs/wiki/extensions/flowchartwiki/maintenance`)

### 5.2.3 Importing the default Customizing

- In mediawiki choose Special pages/Import pages.
- Import the file `import_customizing.xml` (For sample contents see *Customizing - Configure Chart*)

### 5.2.4 Optional imports

- Import the file `import_ShapeTest.xml`
- Import the file `import_FlightBooking.xml`

## 5.3 Customizing:Configure\_Chart Page(s)

See *Customizing - Configure Chart* for a Sample.

### 5.3.1 ModelType determines the Chart Type

Each Category Page that you use for documenting a Process needs to contain one `ModelType` Tag like the one shown below.

```
[ [ModelType::EPK] ]
```

EPK defines that for this process the colors and shape types will be based on the EPK diagram definition in Customizing.

### 5.3.2 Configure the ModelType / Graphics

For each ModelType a customizing is required to define the shapes and colors used. To define the customizing of a ModelType you have two options:

- Use an individual Wiki Page (`Customizing:Configure_EPK`) to define the customizing for this ModelType.
- Use the Generic `Customizing:Configure_Chart` Wiki Page to define the customizing.

The first option has the advantage that this page can easily be exported and moved to other wikis or be distributed with your process documentation.

The lookup for Customizing is made in the order:

1. `Customizing:Configure_[ModelType]`
2. `Customizing:Configure_Chart`

If no customizing for the specified Modeltype is found, a standard round shape and Black&White color is used. (You may have seen this when doing your first install with the “Test” Process. After you have imported the Customizing, the Diagrams looked different.)

### 5.3.3 Available Shapes and Colors

**Node-Shapes:** Not all shape types are supported currently. If you would like to test it or have it as a reference on your local installation, import the file `import_ShapeTest.xml` from the maintenance directory of your flowchartwiki distribution.

**Colors:** Please see [\[Graphviz-Colors\]](#) for the list of available Colors.

**Arrows:** Please see [\[Graphviz-arrows\]](#) for the list of available arrows.

Colors: as above

Line-Types: solid, dashed (- - -), dotted (. . . .)

Label: free text

#### Using a different Font

The font used by graphviz for the text inside the chart boxes can be changed by modifying the FlowchartWiki php script. (Thanks to Gustav from Gothenburg, Sweden)

Edit `categoryBrowser.php` function `findPages()`, approx. line 168.

- `from: $params="";`
- `to: $params="fontname=\"helvetica\", \"";`

For available fonts please check the graphviz documentation. [Graphviz-Fonts]

## 5.4 Sample Customizing: Page

Sample Configure\_Chart Page:

```
Some Text with Warning why this page should not be edited.
== Configuration ==
*Sample_Configure_ChartType
**Nodes
***PageType Shape Color_of_Shape [Color_of_Font Defaults to Black]
***PageType Shape Color_of_Shape Color_of_Font
```

The Configure\_Chart Page is divided into two Section.

- The “Warning” Section
- The “Configuration” Section.

### 5.4.1 The Warning Section

The Warning Section is the initial Text in the page and is not parsed. It ends at == Configuration ==

### 5.4.2 The Configuration Section

The Configuration Section starts with == Configuration == It contains the definition for one or more chart types.

#### Differences between configuration formats

1.2:

```
*Configure_<ChartType_1>
**Nodes
***[Category <Shape> <Color_of_Shape>]
***<PageType> <Shape> <Color_of_Shape> [<Color_of_Font>, Defaults to Black]
**Arrows
***<LinkType> <Arrow-Shape> <Color_of_Arrow> [<Type_of_line>] [<Arrow_label>]
```

1.1:

```
*Configure_<ChartType_1>
**Nodes
***<PageType> <Shape> <Color_of_Shape> [<Color_of_Font>, Defaults to Black]
**Arrows
***<LinkType> <Arrow-Shape> <Color_of_Arrow> [<Type_of_line>] [<Arrow_label>]
```

1.0:

```
*Configure_<ChartType_1>
***<PageType> <Shape> <Color_of_Shape> [<Color_of_Font>, Defaults to Black]
```

#### Version 1.2 Configuration Format

The definition of a configuration is:

```
*Configure_<ChartType_1>
**Nodes
***[Category <Shape> <Color_of_Shape>]
***<PageType> <Shape> <Color_of_Shape> [<Color_of_Font>, Defaults to Black]
*Configure_<ChartType_2>
**Nodes
***<PageType> <Shape> <Color_of_Shape> [<Color_of_Font>, Defaults to Black]
**Arrows
***<LinkType> <Arrow-Shape> <Color_of_Arrow> [<Type_of_line>] [<Arrow_label>]
```

Sample:

```
*Configure_EPK
**Nodes
***Category    box            red
***Event       hexagon        azure3
***Decision    diamond        azure3
***Function    parallelogram azure3
***DataSource  rect           khakil
***Person      box            chartreuse1
***Department  ellipse        chartreuse1
***Product     rect           yellow
**Arrows
***Yes         box            green          dashed         Yes
***No          diamond        #ffa0a0        solid           No
```

- First line: \*Configure\_<ChartType>
  - Only Groups starting with \*Configure are parsed. If you want to disable a configuration, renaming it to something different (like Disabled\_Configure will disable this configuration block.
  - ChartType defines the Type of the Chart e.g. “EPK” or “Flat”. This is the type of the Diagram that is being used.
- Second line: \*\*Nodes
  - starts the section where the PageTypes are defined.
- Definition of PageTypes on the next lines:
  - **New in 1.2.:** Optional: Category: When this is included, it will show a clickable category-name on top of the chart.
  - PageType defines the Pagetypes being used in this Diagram, for Example “Person”, “Function”, “Event”, “Decision” etc.
  - Shape defines the Shape that is being used. The Definition of the shape is taken from the GraphViz Documentation at [\[\[Graphviz - Shapes\]\]](#). Please be aware that not all shapes are supported/working.
  - Color\_of\_Shape defines the color that is used to render the shape. The name of the colors and a color table can be seen at [\[\[Graphviz - Colors\]\]](#)
  - Color\_of\_Font defines that color of the font that is used for writing the name of the process-step into the shape. If not given, it defaults to black. The same table of colors applies as before.
- \*\*Arrows
  - starts the definition block for the arrows.
  - If the Arrow is defined in the customizing, then the properties in the definition are applied. If it is not defined, it defaults to “normal” shape, “black” color, “solid” line and no label.



- Definition of the Arrows on the next lines:

- <LinkType> This is the type of the link that is used in the Wikipage. The <LinkType> has to be defined with the first letter capitalized as in “Yes”. (Thanks to Michael G. from Cologne, Germany) Example links to wikpage PageName with the LinkType Yes.

```
[[Yes::PageName]]
```

- <Arrow-Shape> defines the “endpoint” of the arrow. See [\[\[Graphviz - Arrows\]\]](#) for details. Defaults to “normal”.
- <Color\_of\_Arrow> the same definition as in the colors of shapes applies, defaults to black.
- [<Type\_of\_line>]: solid (default), dashed (—), dotted (...)
- [<Arrow\_label>]: The label that is attached to the line in the graph. Currently only one word is supported (no blanks).

### Version 1.0.x Configuration Format

The definition of a configuration is:

```
*Configure_<ChartType_1>
**<PageType> <Shape> <Color_of_Shape> [<Color_of_Font>, Defaults to Black]
*Configure_<ChartType_2>
**<PageType> <Shape> <Color_of_Shape> [<Color_of_Font> Defaults to Black]
```

Sample:

```
*Configure_EPK
**Event      hexagon      azure3
**Decision   diamond       azure3
**Function   parallelogram azure3
**DataSource rect        khakil
**Person     box           chartreuse1
**Department ellipse     chartreuse1
**Product    rect         yellow
```

## 5.5 Examples

- *Customizing - Configure Chart* for General Customizing and the sections for EPK and ShapeTest (for all the Shapes in the documentation of GraphViz)

Active configuration Block:

```
*Configure_EPK
**Nodes
***Event      hexagon      azure3
***Decision   diamond       azure3
***Function   parallelogram azure3
***DataSource rect        khakil
***Person     box           chartreuse1
***Department ellipse     chartreuse1
***Product    rect         yellow
```

Disabled Configuration Block:


```
*Disabled_Configure_EPK
**Nodes
***Event      hexagon      azure3
***Decision   diamond      azure3
***Function   parallelogram azure3
***DataSource rect        khaki1
***Person     box          chartreuse1
***Department ellipse     chartreuse1
***Product    rect        yellow
```



---

ImportExistingDocuments

---



## 6.1 Easy conversion of .doc Files with OpenOffice.org

The writer module of OpenOffice.org can open .doc documents and has a special export filter to export the document in MediaWiki markup. (=MediaWiki Formatting).

Detailed List of Features: [[OpenOffice Features]]

## 6.2 Procedure

1. Download [OpenOffice.org]
2. Install the downloaded application
3. open the .doc file in the OpenOffice.org Writer module
4. Export the Document in MediaWiki markup as a .txt file
  1. Choose File -> Export
  2. Select File Format "MediaWiki (\*.txt)" and enter a FileName.
5. Open the .txt File in Notepad or any other Text-Editor, mark the parts to be transferred or the whole document and copy it into the clipboard
6. Create or open the page in your Wiki and go to the Edit-Mode of the page
7. Paste the content from the clipboard into the Edit-Window of the Wikipage
8. Save the Wikipage






# CHAPTER 7

---

## EnterProcesses

---





## 7.1 How to create a process

Sample Category Page Content:

```
<CategoryBrowser />

Description of the process...

configure the type of the graphics
  '[ModelType::EPK]
  '[ModelType::Flat]
[[ModelType::EPK]]
```

- `CategoryBrowser` - Tag displays graph of current category. Items are process steps of this category.
- `ModelType::EPK` - Specifies graphics style for graph, definition from this page is used for all process step graphs.

## 7.2 How to create a process step

Sample page content:

```
<CategoryBrowser />

Description of the process step...

[[UsedBy::CheckBookingRequest]]

<Dependencies />

[[Type::Product]]
[[Level::1010]]
[[PageName::DifferentName]]
[[Category:Flightbooking]]
```

- `CategoryBrowser` tag displays graph of current category. Items are process steps of this category. Note: that you can use `CategoryBrowser2` tag displays 2 graphs - left shows whole process of current step, and right only neighbours.
- `Dependencies` tag shows table with dependencies between process steps
- `Type::Product` - Type for current page (displays specified shape/color in graph)
- `Level::1010` - Steps with same level are in same line in graph. Increase the Level by 10 for the next line in the graph - to `Level::1020`, `Level::1030` etc. (If you have done some BASIC Programming “in the good old days” - this is like line-numbers in Basic. - And yes, we are working on a renumbering function ;-))
- `PageName::DifferentName` (optional) - this overrides the usage of the name of the WikiPage in the Graph with “DifferentName”. i.e. If your WikiPage is named “SomePage” - it will default to the box labeled “SomePage” in the Graph. If you use “PageName::Some\_Other\_Name\_For\_This\_Page” it will be labeled “Some Other Name For This Page” in the Graph. (“\_” are replaced with “ ”). To split the text into multiple lines, insert “\n” where a linebreak should be placed. Example: “PageName::Some\_Other\_Name\nFor\_This\_Page” would show the label in two lines: 1:”Some Other Name”, 2: “For This Page”.
- `Category:Flightbooking` - This is important. Describes participation in process.

## 7.3 Detail documentation

### 7.3.1 Tag CategoryBrowser

```
<CategoryBrowser />
```

Displays 1 graph.

```
<CategoryBrowser2 />
```

Displays 2 graphs. Left shows whole process and right only neighbours. CategoryBrowser2 on category page show only 1 graph.

```
<CategoryBrowser>Name_Of_Category</CategoryBrowser>
<CategoryBrowser2>Name_Of_Category</CategoryBrowser2>
```

Displays graph(s) for selected category (graph of another category process).

### 7.3.2 Tag Dependencies

```
<Dependencies />
```

Shows table with dependencies including type of links.

Type of page 'EnterProcesses': Rect_Green	
<b>Where do I link to:</b> <a href="#">Maintenance (NextStep)</a> <a href="#">UserTraining (NextStep)</a>	<b>Who links here:</b> <a href="#">UserTraining (NextStep)</a> <a href="#">ImportExistingDocuments (NextStep)</a> <a href="#">Customizing (NextStep)</a>

## 7.4 Tips & Tricks

### FCKEditor:


If you use the FCKEditor with FlowchartWiki, you need to put `__NORICHEDITOR__` at the start of each page. Otherwise FCKEditor may mangle the Tags like this: (Thanks to Andrew from New Zealand.)

```
[[Type::Rect_Red]] # original Tag
[[Rect_Red|Type::Rect_Red]] # 1st round
[[Rect_Red|Rect_Red|Type::Rect_Red]] # 2nd round
```

### Positioning of the Tags:

You may want to place all the FlowchartWiki related tags (like “NextStep::Maintenance”, “Type::Rect\_Green”, “Level::1030” etc.) to the end of the page, if your users are disturbed by the tags showing up in the middle of the text.






ToDo: Document the small training effort required to get users hooked to FlowChartWiki. :-)









## 9.1 Re-Initializing the Database

If your FlowchartWiki Database is corrupted, you may re-generate the table that contains the links between the pages by running the `fchw\_RefreshPages.php` script from the commandline.

cd to directory `htdocs/<yourWiki>`

```
php ./extensions/flowchartwiki/maintenance/fchw_RefreshPages.php
```

**Windows Note:** PHP could be started by

```
c:\Program Files\Apache2\modules\php\php.exe
```

**Unix Note:** You may need to have the PHP-cli package installed on your system.

## 9.2 Temporary Files

FlowchartWiki and PDFBook create temporary files in these directories:

```
./images/flowchartwiki  
./images/pdfbook
```

FlowchartWiki Note:

- The filenames are created from a hash of the database-prefix and the name of the wiki page and are overwritten for each update.
- There are four files per page:
  - `.dot` source which was converted to `.png` and `.map` by `graphviz`.
  - `.png` with the graph,
  - `.map` with an `ImageMap` for HTML Display
  - `.dot.md5` which contains the hash value of the dot file and is used to validate, if an image needs to be re-created.
- Deleting these files is safe, they will be recreated at the next access, but you will have to delete all 4 files per page.
- Stale files will only exist for pages that have been deleted, so a frequent purging of this directory is not required.

PDFBook Note:

- There are 2 files per `.pdf` document
  - `.html` source (no Extension) which gets converted to `.pdf` by `htmldoc`
  - `.pdf` with the `.pdf` document
- The filenames are `'pdf-book-'` with a random number.
- These Files are created at each creation of a `.pdf` Document and are not re-used.
- In Pdfbook 1.1.0 the files are deleted after they have been delivered to the user, so the directory should be mostly empty.
- you may want to configure a cron-job to clean up this directory.

## 9.3 Moving to new empty server

- Export all pages from old server via page Special pages - Export pages
  - First see list of categories, and load pages for each one.
  - Don't forget to add category page like (Category:Test) and MainPage
  - Don't forget to add customizing pages (Customizing:Configure\_Chart, Customizing:Configure\_Chart\_Documentation, Customizing:Configure\_EPK)
- New server - choose Special pages / Import pages and select exported file
- Copy your logo to images/logo.png and this line to Localsettings.php

```
$wgLogo = "/wiki/images/logo.png";
```

- Copy Mediawiki:Sidebar page to new location

## CHAPTER 10

---

### Check FlowChartWiki extension

---

Example Screenshot of the `Special:CheckFchw` wiki page.

This page will show details about your installation and test all relevant features.

Special page

## Check FlowChartWiki extension

---

Web Server: **nginx/1.8.0**

PHP version: **5.5.9-1ubuntu4.11**

Platform: **Linux 5617b633d666 3.13.0-144-generic #193-Ubuntu SMP Thu Mar 15 17:03:53 UTC 2018 x86\_64**


Mediawiki version: **1.25.1**

Database: **[[int:version-db-mysql-url]] MySQL] 5.6.25**

Database prefix:

FlowChartWiki version: **1.2.2**

OK	FlowChartWiki data folder
OK	FlowChartWiki data folder permissions
OK	GraphViz path
OK	GraphViz executable
OK	FlowChartWiki database table
OK	Create sample graph
OK	Total status



---

## Customizing: Configure Chart - Documentation

---

### 11.1 Configure the ModelType / Graphics

Documentation for *Customizing - Configure Chart*

The Graphics of the process is configured by making changes to the page *Customizing - Configure Chart*

#### 11.1.1 Sample Page

Sample `Configure_Chart` Page:

```
Some Text with Warning why this page should not be edited.  
== Configuration ==  
*Sample_Configure_ChartType  
**PageType Shape Color_of_Shape [Color_of_Font Defaults to Black]  
**PageType Shape Color_of_Shape Color_of_Font
```

The `Configure_Chart` Page is divided into two Section.

- The “Warning” Section
- The “Configuration” Section.

#### 11.1.2 The Warning Section

The Warning Section is the initial Text in the page and is not parsed. It ends at `== Configuration ==`

#### 11.1.3 The Configuration Section

The Configuration Section starts with `== Configuration ==` It contains the definition for one or more chart types.

The definition of a configuration is:

```
*Configure_<ChartType_1>
**<PageType> <Shape> <Color_of_Shape> [<Color_of_Font>, Defaults to Black]
*Configure_<ChartType_2>
**<PageType> <Shape> <Color_of_Shape> [<Color_of_Font> Defaults to Black]
```

Sample:

```
*Configure_EPK
**Event      hexagon      azure3
**Decision   diamond      azure3
**Function   parallelogram azure3
**DataSource rect         khaki1
**Person     box          chartreuse1
**Department ellipse     chartreuse1
**Product    rect         yellow
```

- **First line:** `*Configure_<ChartType>`
  - Only Groups starting with `*Configure` are parsed. If you want to disable a configuration, renaming it to something different (like `Disabled_Configure` will disable this configuration block.
  - `ChartType` defines the Type of the Chart e.g. “EPK” or “Flat”. This is the type of the Diagram that is being used.
- **Definition of PageTypes on the next lines:**
  - `PageType` defines the Pagetypes being used in this Diagram, for Example “Person”, “Function”, “Event”, “Decision” etc.
  - `Shape` defines the Shape that is being used. The Definition of the shape is taken from the GraphViz Documentation at [\[\[Graphviz - Shapes\]\]](#). Please be aware that not all shapes are supported/working.
  - `Color_of_Shape` defines the color that is used to render the shape. The name of the colors and a color table can be seen at [\[\[Graphviz - Colors\]\]](#)
  - `Color_of_Font` defines that color of the font that is used for writing the name of the process-step into the shape. If not given, it defaults to black. The same table of colors applies as before.

### 11.1.4 Examples

Active configuration Block:

```
*Configure_EPK
**Event      hexagon      azure3
**Decision   diamond      azure3
**Function   parallelogram azure3
**DataSource rect         khaki1
**Person     box          chartreuse1
**Department ellipse     chartreuse1
**Product    rect         yellow
```

Disabled Configuration Block:

```
*Disabled_Configure_EPK
**Event      hexagon      azure3
**Decision   diamond      azure3
**Function   parallelogram azure3
```

(continues on next page)

(continued from previous page)

**DataSource	rect	khaki1
**Person	box	chartreuse1
**Department	ellipse	chartreuse1
**Product	rect	yellow





---

## Customizing - Configure Chart

---

### 12.1 Configure the ModelType / Graphics

Actual page source, see *Customizing: Configure Chart - Documentation* for details:

```

=== Configure the ModelType / Graphics ===
== Important Info==
This page is for customizing purposes only.

<b>Do not edit unless you know what you are doing.</b>

See [[Customizing:Configure_Chart_Documentation]] for Details on how to configure and
↪edit.

== Configuration ==
*Sample_Configure_ChartType
**Nodes
***PageType Shape Color_of_Shape [Color_of_Font Defaults to Black]
***PageType Shape Color_of_Shape Color_of_Font

*Configure_Draw
**Nodes
***Rect_Blue   box           blue
***Rect_Yellow rect         yellow
***Rect_Red    rect         firebrick2
***Rect_Green rect         forestgreen
***Elli_Blue   ellipse      blue
**Arrows
***Install diamond blue solid use_FlowchartWiki
***Hosting normal green solid Hosting

*Configure_ValueStream
**Nodes

```

(continues on next page)

***Rect_Red	polygon	cyan3
-------------	---------	-------

Actual Page Source of “Customizing:Configure\_EPK”

```

== Configuration ==
*Configure_EPK
**Nodes
***Category    box          red
***Event       hexagon     azure3
***Decision    diamond     azure3
***Function     parallelogram azure3
***DataSource  rect        khaki1
***Person      box         chartreuse1
***Department  ellipse     chartreuse1
***Product     rect        yellow
**Arrows
***No diamond blue solid No
***Yes normal green solid Yes
    
```

Actual Page Source of “Customizing:Configure\_ShapeTest”

```

== Configuration ==
*Configure_ShapeTest
**Nodes
***Box          box          blue
***Polygon      polygon     blue
***Ellipse      ellipse     blue
***Circle       circle      blue
***Point        point       blue
***Egg          egg         blue
***Triangle     triangle   blue
***Plaintext    plaintext   blue
***Diamond      diamond     blue
***Trapezium    trapezium  blue
***Parallelogram parallelogram blue
***House        house       blue
***Pentagon     pentagon   blue
***Hexagon      hexagon     blue
***Septagon     septagon    blue
***Octagon      octagon     blue
***Doublecircle doublecircle blue
***Doubleoctagon doubleoctagon blue
***Tripleoctagon tripleoctagon blue
***Invtriangle  invtriangle blue
***Invtrapezium invtrapezium blue
***Invhouse     invhouse    blue
***Mdiamond     mdiamond    blue
***Msquare      msquare     blue
***Mcircle      mcircle     blue
***Rect         rect        blue
***Rectangle    rectangle   blue
***None         none        blue
***Note         note        blue
***Tab          tab         blue
***Folder       folder      blue
***Box3d        box3d       blue
***Component    component   blue
    
```

## 13.1 Building and maintaining the documentation

### 13.1.1 ReadTheDocs.io

The documentation for FlowchartWiki is now hosted on Readthedocs.io on URL: <https://flowchartwiki.readthedocs.io/en/latest/index.html>

Changes to the documentation will be automatically picked up by Readthedocs.

The following documentation is for testing and reviewing the documentation prior to updating the repo.

### 13.1.2 Requirements

- Python (3.4+)
- Graphviz to render the images.
- Sphinx with ReadTheDocs theme
- Preferably a Linux box with make

### 13.1.3 Setup

1. Create a Python virtual environment `python -m venv venv`
2. Activate the virtual environment `source venv/bin/activate`
3. Upgrade pip: `pip install --upgrade pip`
4. Install required Python packages into the virtual environment `pip install sphinx sphinx_rtd_theme` or use `pip install -r requirements.txt`

### 13.1.4 Building the documentation

1. Build documentation `make html`
2. Build `.epub` `make epub`

## 13.2 Extraction of original source documents

The original source documentation was in a FlowchartWiki based MediaWiki installation.

Most of the pages have been extracted in two formats:

- **MediaWiki markup**, extracted by manually copying the markup from the “edit page” option.
- **.html markup** extracted by using `wget "http://www.flowchartwiki.org/wiki/index.php?title=Main_Page&action=render" -O Main_Page.html`

(These files have been retained in the `source/original` folder.)

The `.html` file was then converted to `restructuredText` by using `pandoc`:

```
pandoc -f html -t rst main.html -o main.rst
```

Finally the `.rst` file was manually updated and polished.

## CHAPTER 14

---

### Contact

---

If you want to take over maintenance, feel free to contact me:

Email: thomas dot kock at gmx dot de



The FlowchartWiki Source Code is freely available under the GNU General Public License Version 2 or later.

The PdfBook Extension is freely available under the GNU Lesser General Public License. *LGPL License Text*

## 15.1 GPL License Text

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone **is** permitted to copy **and** distribute verbatim copies  
of this license document, but changing it **is not** allowed.

Preamble

The licenses **for** most software are designed to take away your  
freedom to share **and** change it. By contrast, the GNU General Public  
License **is** intended to guarantee your freedom to share **and** change free  
software--to make sure the software **is** free **for all** its users. This  
General Public License applies to most of the Free Software  
Foundation's software and to any other program whose authors commit to  
using it. (Some other Free Software Foundation software **is** covered by  
the GNU Lesser General Public License instead.) You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, **not**  
price. Our General Public Licenses are designed to make sure that you  
have the freedom to distribute copies of free software (**and** charge **for**  
this service **if** you wish), that you receive source code **or** can get it  
**if** you want it, that you can change the software **or** use pieces of it  
**in** new free programs; **and** that you know you can do these things.

(continues on next page)

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights **or** to ask you to surrender the rights. These restrictions translate to certain responsibilities **for** you **if** you distribute copies of the software, **or if** you modify it.

For example, **if** you distribute copies of such a program, whether gratis **or for** a fee, you must give the recipients **all** the rights that you have. You must make sure that they, too, receive **or** can get the source code. And you must show them these terms so they know their rights.

We protect your rights **with** two steps: (1) copyright the software, **and** (2) offer you this license which gives you legal permission to copy, distribute **and/or** modify the software.

Also, **for** each author's protection and ours, we want to make certain that everyone understands that there **is** no warranty **for** this free software. If the software **is** modified by someone **else and** passed on, we want its recipients to know that what they have **is not** the original, so that **any** problems introduced by others will **not** reflect on the original authors' reputations.

Finally, **any** free program **is** threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, **in** effect making the program proprietary. To prevent this, we have made it clear that **any** patent must be licensed **for** everyone's free use **or not** licensed at all.

The precise terms **and** conditions **for** copying, distribution **and** modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to **any** program **or** other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to **any** such program **or** work, **and** a "work based on the Program" means either the Program **or** any derivative work under copyright law: that **is** to say, a work containing the Program **or** a portion of it, either verbatim **or with** modifications **and/or** translated into another language. (Hereinafter, translation **is** included without limitation **in** the term "modification".) Each licensee **is** addressed **as** "you".

Activities other than copying, distribution **and** modification are **not** covered by this License; they are outside its scope. The act of running the Program **is not** restricted, **and** the output **from the** Program **is** covered only **if** its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that **is** true depends on what the Program does.

1. You may copy **and** distribute verbatim copies of the Program's source code **as** you receive it, **in** any medium, provided that you conspicuously **and** appropriately publish on each copy an appropriate copyright notice **and** disclaimer of warranty; keep intact **all** the notices that refer to this License **and** to the absence of **any** warranty;

(continues on next page)



(continued from previous page)

**and** give **any** other recipients of the Program a copy of this License along **with** the Program.

You may charge a fee **for** the physical act of transferring a copy, **and** you may at your option offer warranty protection **in** exchange **for** a fee.

2. You may modify your copy **or** copies of the Program **or** any portion of it, thus forming a work based on the Program, **and** copy **and** distribute such modifications **or** work under the terms of Section 1 above, provided that you also meet **all** of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files **and** the date of **any** change.

b) You must cause **any** work that you distribute **or** publish, that **in** whole **or** **in** part contains **or** **is** derived **from the** Program **or** any part thereof, to be licensed **as** a whole at no charge to **all** third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running **for** such interactive use **in** the most ordinary way, to **print** **or** display an announcement including an appropriate copyright notice **and** a notice that there **is** no warranty (**or else**, saying that you provide a warranty) **and** that users may redistribute the program under these conditions, **and** telling the user how to view a copy of this License. (Exception: **if** the Program itself **is** interactive but does **not** normally **print** such an announcement, your work based on the Program **is not** required to **print** an announcement.)

These requirements apply to the modified work **as** a whole. If identifiable sections of that work are **not** derived **from the** Program, **and** can be reasonably considered independent **and** separate works **in** themselves, then this License, **and** its terms, do **not** apply to those sections when you distribute them **as** separate works. But when you distribute the same sections **as** part of a whole which **is** a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions **for** other licensees extend to the entire whole, **and** thus to each **and** every part regardless of who wrote it.

Thus, it **is not** the intent of this section to claim rights **or** contest your rights to work written entirely by you; rather, the intent **is** to exercise the right to control the distribution of derivative **or** collective works based on the Program.

In addition, mere aggregation of another work **not** based on the Program **with** the Program (**or with** a work based on the Program) on a volume of a storage **or** distribution medium does **not** bring the other work under the scope of this License.

3. You may copy **and** distribute the Program (**or** a work based on it, under Section 2) **in** object code **or** executable form under the terms of Sections 1 **and** 2 above provided that you also do one of the following:

a) Accompany it **with** the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 **and** 2 above on a medium customarily used **for** software interchange; **or**,

(continues on next page)

b) Accompany it **with** a written offer, valid **for** at least three years, to give **any** third party, **for** a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 **and** 2 above on a medium customarily used **for** software interchange; **or**,

c) Accompany it **with** the information you received **as** to the offer to distribute corresponding source code. (This alternative **is** allowed only **for** noncommercial distribution **and** only **if** you received the program **in** object code **or** executable form **with** such an offer, **in** accord **with** Subsection b above.)

The source code **for** a work means the preferred form of the work **for** making modifications to it. For an executable work, complete source code means **all** the source code **for** all modules it contains, plus **any** associated interface definition files, plus the scripts used to control compilation **and** installation of the executable. However, **as** a special exception, the source code distributed need **not** include anything that **is** normally distributed (**in** either source **or** binary form) **with** the major components (compiler, kernel, **and** soon) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable **or** object code **is** made by offering access to copy **from a** designated place, then offering equivalent access to copy the source code **from the** same place counts **as** distribution of the source code, even though third parties are **not** compelled to copy the source along **with** the object code.

4. You may **not** copy, modify, sublicense, **or** distribute the Program **except as** expressly provided under this License. Any attempt otherwise to copy, modify, sublicense **or** distribute the Program **is** void, **and** will automatically terminate your rights under this License. However, parties who have received copies, **or** rights, **from you** under this License will **not** have their licenses terminated so long **as** such parties remain **in** full compliance.

5. You are **not** required to accept this License, since you have **not** signed it. However, nothing **else** grants you permission to modify **or** distribute the Program **or** its derivative works. These actions are prohibited by law **if** you do **not** accept this License. Therefore, by modifying **or** distributing the Program (**or** any work based on the Program), you indicate your acceptance of this License to do so, **and** all its terms **and** conditions **for** copying, distributing **or** modifying the Program **or** works based on it.

6. Each time you redistribute the Program (**or** any work based on the Program), the recipient automatically receives a license **from the** original licensor to copy, distribute **or** modify the Program subject to these terms **and** conditions. You may **not** impose any further restrictions on the recipients' exercise of the rights granted herein. You are **not** responsible **for** enforcing compliance by third parties to this License.

7. If, **as** a consequence of a court judgment **or** allegation of patent

(continues on next page)

(continued from previous page)

infringement **or for any** other reason (**not** limited to patent issues), conditions are imposed on you (whether by court order, agreement **or** otherwise) that contradict the conditions of this License, they do **not** excuse you **from the** conditions of this License. If you cannot distribute so **as** to satisfy simultaneously your obligations under this License **and any** other pertinent obligations, then **as** a consequence you may **not** distribute the Program at **all**. For example, **if** a patent license would **not** permit royalty-free redistribution of the Program by **all** those who receive copies directly **or** indirectly through you, then the only way you could satisfy both it **and** this License would be to refrain entirely **from distribution** of the Program.

If **any** portion of this section **is** held invalid **or** unenforceable under **any** particular circumstance, the balance of the section **is** intended to apply **and** the section **as** a whole **is** intended to apply **in** other circumstances.

It **is not** the purpose of this section to induce you to infringe **any** patents **or** other **property** right claims **or** to contest validity of **any** such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which **is** implemented by public license practices. Many people have made generous contributions to the wide **range** of software distributed through that system **in** reliance on consistent application of that system; it **is** up to the author/donor to decide **if** he **or** she **is** willing to distribute software through **any** other system **and** a licensee cannot impose that choice.

This section **is** intended to make thoroughly clear what **is** believed to be a consequence of the rest of this License.

8. If the distribution **and/or** use of the Program **is** restricted **in** certain countries either by patents **or** by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution **is** permitted only **in or** among countries **not** thus excluded. In such case, this License incorporates the limitation **as if** written **in** the body of this License.

9. The Free Software Foundation may publish revised **and/or** new versions of the General Public License **from time** to time. Such new versions will be similar **in** spirit to the present version, but may differ **in** detail to address new problems **or** concerns.

Each version **is** given a distinguishing version number. If the Program specifies a version number of this License which applies to it **and** "any later version", you have the option of following the terms and conditions either of that version **or** of **any** later version published by the Free Software Foundation. If the Program does **not** specify a version number of this License, you may choose **any** version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask **for** permission. For software which **is** copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions **for** this. Our decision will be guided by the two goals

(continues on next page)

(continued from previous page)

of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## 15.2 LGPL License Text

GNU LESSER GENERAL PUBLIC LICENSE  
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

## 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

(continues on next page)

(continued from previous page)

A "Combined Work" **is** a work produced by combining **or** linking an Application **with** the Library. The particular version of the Library **with** which the Combined Work was made **is** also called the "Linked Version".

The "Minimal Corresponding Source" **for** a Combined Work means the Corresponding Source **for** the Combined Work, excluding **any** source code **for** portions of the Combined Work that, considered **in** isolation, are based on the Application, **and not** on the Linked Version.

The "Corresponding Application Code" **for** a Combined Work means the object code **and/or** source code **for** the Application, including **any** data **and** utility programs needed **for** reproducing the Combined Work **from the** Application, but excluding the System Libraries of the Combined Work.

#### 1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 **and** 4 of this License without being bound by section 3 of the GNU GPL.

#### 2. Conveying Modified Versions.

If you modify a copy of the Library, **and, in** your modifications, a facility refers to a function **or** data to be supplied by an Application that uses the facility (other than **as** an argument passed when the facility **is** invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, **in** the event an Application does **not** supply the function **or** data, the facility still operates, **and** performs whatever part of its purpose remains meaningful, **or**
- b) under the GNU GPL, **with** none of the additional permissions of this License applicable to that copy.

#### 3. Object Code Incorporating Material **from Library** Header Files.

The object code form of an Application may incorporate material **from a** header file that **is** part of the Library. You may convey such object code under terms of your choice, provided that, **if** the incorporated material **is not** limited to numerical parameters, data structure layouts **and** accessors, **or** small macros, inline functions **and** templates (ten **or** fewer lines **in** length), you do both of the following:

- a) Give prominent notice **with** each copy of the object code that the Library **is** used **in** it **and** that the Library **and** its use are covered by this License.
- b) Accompany the object code **with** a copy of the GNU GPL **and** this license document.

#### 4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do **not** restrict modification of the

(continues on next page)

portions of the Library contained **in** the Combined Work **and** reverse engineering **for** debugging such modifications, **if** you also do each of the following:

- a) Give prominent notice **with** each copy of the Combined Work that the Library **is** used **in** it **and** that the Library **and** its use are covered by this License.
- b) Accompany the Combined Work **with** a copy of the GNU GPL **and** this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice **for** the Library among these notices, **as** well **as** a reference directing the user to the copies of the GNU GPL **and** this license document.
- d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, **and** the Corresponding Application Code **in** a form suitable **for**, **and** under terms that permit, the user to recombine **or** relink the Application **with** a modified version of the Linked Version to produce a modified Combined Work, **in** the manner specified by section 6 of the GNU GPL **for** conveying Corresponding Source.

- 1) Use a suitable shared library mechanism **for** linking **with** the Library. A suitable mechanism **is** one that (a) uses at run time a copy of the Library already present on the user's **computer** system, **and** (b) will operate properly **with** a modified version of the Library that **is** interface-compatible **with** the Linked Version.

- e) Provide Installation Information, but only **if** you would otherwise be required to provide such information under section 6 of the GNU GPL, **and** only to the extent that such information **is** necessary to install **and** execute a modified version of the Combined Work produced by recombining **or** relinking the Application **with** a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source **and** Corresponding Application Code. If you use option 4d1, you must provide the Installation Information **in** the manner specified by section 6 of the GNU GPL **for** conveying Corresponding Source.)

#### 5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side **in** a single library together **with** other library facilities that are **not** Applications **and** are **not** covered by this License, **and** convey such a combined library under terms of your choice, **if** you do both of the following:

- a) Accompany the combined library **with** a copy of the same work based on the Library, uncombined **with** any other library facilities, conveyed under the terms of this License.

(continued from previous page)

b) Give prominent notice **with** the combined library that part of it **is** a work based on the Library, **and** explaining where to find the accompanying uncombined form of the same work.

#### 6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised **and/or** new versions of the GNU Lesser General Public License **from time** to time. Such new versions will be similar **in** spirit to the present version, but may differ **in** detail to address new problems **or** concerns.

Each version **is** given a distinguishing version number. If the Library **as** you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms **and** conditions either of that published version **or** of any later version published by the Free Software Foundation. If the Library **as** you received it does **not** specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library **as** you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization **for** you to choose that version **for** the Library.